Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
K. Simons

VOLUME 150

25 July to 25 August 1981

ACADEMIC PRESS
London New York San Francisco

Copyright © 1981, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 150

NUMBER 1, 25 JULY 1981

COLBÈRE-GARAPIN, F., HORODNICEANU, F., KOURILSKY, P. and GARAPIN, A.-C., A New Dominant Hybrid Selective Marker for Higher Eukaryotic Cells 1

ISBERG, R. R. and SYVANEN, M., Replicon Fusions Promoted by the Inverted Repeats of Tn*5*. The Right Repeat is an Insertion Sequence . . . 15

FUKUYAMA, K., ABDEL-MEGUID, S. S. and ROSSMANN, M. G., Crystallization of Alfalfa Mosaic Virus Coat Protein as a $T = 1$ Aggregate 33

BENHAM, C. J., Theoretical Analysis of Competitive Conformational Transitions in Torsionally Stressed DNA 43

Appendix 65

PERKINS, S. J., MILLER, A., HARDINGHAM, T. E. and MUIR, H., Physical Properties of the Hyaluronate Binding Region of Proteoglycan from Pig Laryngeal Cartilage. Densitometric and Small-angle Neutron Scattering Studies of Carbohydrates and Carbohydrate-Protein Macromolecules . 69

ENGEL, J., ODERMATT, E., ENGEL, A., MADRI, J. A., FURTHMAYR, H., ROHDE, H. and TIMPL, R., Shapes, Domain Organizations and Flexibility of Laminin and Fibronectin, Two Multifunctional Proteins of the Extracellular Matrix 97

LETTERS TO THE EDITOR

MARQUIS, D. M., FAHNSTOCK, S. R., HENDERSON, E., WOO, D., SCHWINGE, S., CLARK, M. W. and LAKE, J. A., The L7/L12 Stalk, a Conserved Feature of the Prokaryotic Ribosome, is Attached to the Large Subunit Through Its N Terminus 121

YOUSSOUFIAN, H. and MULDER, C., Detection of Methylated Sequences in Eukaryotic DNA with the Restriction Endonucleases *Sma*I and *Xma*I 133

PHILLIPS, S. E. V., HALL, D. and PERUTZ, M. F., Structure of Deoxyhaemoglobin Zürich (HisE7(63β) → Arg) 137

NUMBER 2, 5 AUGUST 1981

THOMAS, P. S., SHEPHERD, J. H., MULVIHILL, E. R. and PALMITER, R. D., Isolation of a Nuclear Ribonucleoprotein Fraction from Chick Oviduct Containing Ovalbumin Messenger RNA Sequences 143

Appendix: THOMAS, P. S. and TELLER, D. C., A Multiple Site Hypothesis for the Interaction of Steroid Hormone Receptors with the Ovalbumin Gene 160

KRIEGER, M., BROWN, M. S. and GOLDSTEIN, J. L., Isolation of Chinese Hamster Cell Mutants Defective in the Receptor-mediated Endocytosis of Low Density Lipoprotein 167

LE GRICE, S. F. J. and MATZURA, H., Binding of RNA Polymerase and the Catabolite Gene Activator Protein within the *cat* Promoter in *Escherichia coli* 185

RIPLEY, L. S., Influence of Diverse Gene *43* DNA Polymerases on the Incorporation and Replication *in vivo* of 2-Aminopurine at A·T Base-pairs in Bacteriophage T4 197

MOODY, M. F. and MAKOWSKI, L., X-ray Diffraction Study of Tail-tubes from Bacteriophage T2L. 217

SOWADSKI, J. M., FOSTER, B. A. and WYCKOFF, H. W., Structure of Alkaline Phosphatase with Zinc/Magnesium, Cobalt or Cadmium in the Functional Metal Sites 245

LE MAIRE, M., MØLLER, J. V. and TARDIEU, A., Shape and Thermodynamic Parameters of a Ca^{2+}-dependent ATPase. A Solution X-ray Scattering and Sedimentation Equilibrium Study 273

LETTERS TO THE EDITOR

WERNER, D. and PETZELT, C., Alkali-stably Bound Proteins in Eukaryotic and Prokaryotic DNAs show Common Characteristics 297

OJALA, D., CREWS, S., MONTOYA, J., GELFAND, R. and ATTARDI, G., A Small Polyadenylated RNA (7 S RNA), Containing a Putative Ribosome Attachment Site, Maps Near the Origin of Human Mitochondrial DNA Replication 303

NUMBER 3, 15 AUGUST 1981

RICE, C. M. and STRAUSS, J. H., Synthesis, Cleavage and Sequence Analysis of DNA Complementary to the 26 S Messenger RNA of Sindbis Virus . 315

CHACONAS, G., HARSHEY, R. M., SARVETNICK, N. and BUKHARI, A. I., Predominant End-products of Prophage Mu DNA Transposition During the Lytic Cycle are Replicon Fusions 341

ONO, B.-I., WILLS, N., STEWART, J. W., GESTELEND, R. F. and SHERMAN, F., Serine-inserting UAA Suppression Mediated by Yeast $tRNA^{Ser}$ . . . 361

BROACH, J. R., FRIEDMAN, L. and SHERMAN, F., Correspondence of Yeast UAA Suppressors to Cloned $tRNA^{Ser}_{UCA}$ Genes 375

PALATNIK, C. M., STORTI, R. V. and JACOBSON, A., Partial Purification of a Developmentally Regulated Messenger RNA from *Dictyostelium discoideum* by Thermal Elution from Poly(U)-Sepharose 389

WILLIAMS, R. C., Morphology of Bovine Fibrinogen Monomers and Fibrin Oligomers 399

UMEYAMA, H., NAKAGAWA, S. and KUDO, T., Role of Asp102 in the Enzymatic Reaction of Bovine β-Trypsin. A Molecular Orbital Study . . . 409

BENEDICT, R. C., RICHEY, B., FALL, L., GILL, S. J., NAGEL, R. L. and WYMAN, J., Thermodynamics of Anti-sickling Agents with Hemoglobin S . . 423

Appendix: BENEDICT, R. C., RICHEY, B., GILL, S. J. and WYMAN, J. . 431

LETTER TO THE EDITOR

CHANG, J.-J., DUBOCHET, J., BAUDRAS, A., BLAZY, B. and TAKAHASHI, M., Electron Microscope Observation of a Fibre Structure Formed by Non-specific Binding of cAMP Receptor Protein to DNA . . 435

NUMBER 4, 25 AUGUST 1981

BROWN, S. D. M. and DOVER, G., Organization and Evolutionary Progress of a Dispersed Repetitive Family of Sequences in Widely Separated Rodent Genomes. 441

STERNBERG, N. and HAMILTON, D., Bacteriophage P1 Site-specific Recombination. I. Recombination Between *lox*P Sites 467

STERNBERG, N., HAMILTON, D. and HOESS, R., Bacteriophage P1 Site-specific Recombination. II. Recombination Between *lox*P and the Bacterial Chromosome 487

PEDERSON, T. and MUNROE, S. H., Ribonucleoprotein Organization of Eukaryotic RNA. XV. Different Nucleoprotein Structures of Globin Messenger RNA Sequences in Nuclear and Polyribosomal Ribonucleoprotein Particles 509

TARTAKOFF, A., HOESSLI, D. and VASSALLI, P., Intracellular Transport of Lymphoid Surface Glycoproteins. Role of the Golgi Complex . . 525

EISENBERG, H. and FELSENFELD, G., Hydrodynamic Studies of the Interaction Between Nucleosome Core Particles and Core Histones 537

Appendix: Contrast Variation and Hydration of Nucleosome Core Particles 552

EDELSTEIN, S. J., Molecular Topology in Crystals and Fibers of Hemoglobin S 557

COTE, R. H. and BORISY, G. G., Head-to-Tail Polymerization of Microtubules *in Vitro* 577

Appendix: COTE, R. H., ANDERSON, C. F. and BORISY, G. G., Formulation of the General Rate Equation for Subunit Flux at Steady-State . 599

LETTERS TO THE EDITOR

STERNBERG, N., Bacteriophage P1 Site-specific Recombination. III. Strand Exchange during Recombination at *lox* Sites . . . 603

BRADBURY, J. H., RAMESH, V. and DODSON, G., ^{1}H Nuclear Magnetic Resonance Study of the Histidine Residues of Insulin . . . 609

MATSUKAWA, S., MAWATARI, K., SHIMOKAWA, Y. and YONEYAMA, Y., Close Correlation Between Monod–Wyman–Changeux Parameters, L and c, and its Implication for the Stereochemical Mechanism of Haemoglobin Allostery 615

ERRATUM 623

Index to Volume 150

ABDEL-MEGUID, S. S. (see also FUKUYAMA, K.), 33
Alfalfa mosaic virus coat protein, crystallization as a $T = 1$ aggregate, 33
Alkaline phosphatase, structure with zinc/magnesium, cobalt or cadmium in the functional metal sites, 245
Alkali-stably bound proteins in eukaryotic and prokaryotic DNAs show common characteristics, 297
Allostery of haemoglobin, close correlation between Monod–Wyman–Changeux parameters, L and c, and implications for the stereochemical mechanism, 615
ANDERSON, C. F. (see also COTE, R. H.), 599
Anti-sickling agents with hemoglobin S, thermodynamics of the system, 423
2-Aminopurine, incorporation and replication *in vivo* at A·T base-pairs in bacteriophage T4, influence of diverse gene *43* DNA polymerases, 197
Asp102 role in the enzymatic reaction of bovine β-trypsin; a molecular orbital study, 409
A·T base-pairs, influence of diverse gene *43* DNA polymerases on the incorporation and replication *in vivo* of 2-aminopurine at, in bacteriophage T4, 197
ATPase, Ca^{2+}-dependent, shape and thermodynamic parameters; a solution X-ray scattering and sedimentation equilibrium study, 273
ATTARDI, G. (see also OJALA, D.), 303

Bacteriophage P1 site-specific recombination; recombination between *loxP* and the bacterial chromosome, 487
— — — — — —; — — — sites, 467
— — — — — —; strand exchange during recombination at *lox* sites, 603
— T2L tail-tubes, X-ray diffraction study, 217
— T4, influence of diverse gene *43* DNA polymerases on the incorporation and replication *in vivo* of 2-aminopurine at A·T base-pairs, 197
Base-pairs, A·T, influence of diverse gene *43* DNA polymerases on the incorporation and replication *in vivo* of 2-aminopurine at, in bacteriophage T4, 197
BAUDRAS, A. (see also CHANG, J.-J.), 435
BENEDICT, R. C., RICHEY, B., FALL, L., GILL, S. J., NAGEL, R. L. & WYMAN, J., Thermodynamics of anti-sickling agents with hemoglobin S, 423
—, —, GILL, S. J. & WYMAN, J. (*Appendix* to BENEDICT, R. C., *et al.*, 423), 431
BENHAM, C. J., Theoretical analysis of competitive conformational transitions in torsionally stressed DNA, 43
Binding of RNA polymerase and the catabolite gene activator protein within the *cat* promoter in *Escherichia coli*, 185
—, non-specific, of cAMP receptor protein to DNA, electron microscope observation of the fibre structure formed, 435
— region, hyaluronate, of proteoglycan from pig laryngeal cartilage, physical properties; densitometric and small-angle neutron scattering studies of carbohydrates and carbohydrate-protein macromolecules, 69
BLAZY, B. (see also CHANG, J.-J.), 435
BORISY, G. G. (see also COTE, R. H.), 577, 599
Bovine fibrinogen monomers and fibrin oligomers, morphology, 399
— β-trypsin, role of Asp102 in the enzymatic reaction; a molecular orbital study, 409
BRADBURY, J. H., RAMESH, V. & DODSON, G., ^{1}H nuclear magnetic resonance study of the histidine residues of insulin, 609
BROACH, J. R., FRIEDMAN, L. & SHERMAN, F., Correspondence of yeast UAA suppressors to cloned $tRNA^{Ser}_{UCA}$ genes, 375
BROWN, M. S. (see also KRIEGER, M.), 167
BROWN, S. D. M. & DOVER, G., Organization and evolutionary progress of a dispersed repetitive family of sequences in widely separated rodent genomes, 441
BUKHARI, A. I. (see also CHACONAS, G.), 341

Ca2$^+$-dependent ATPase, shape and thermodynamic parameters; a solution X-ray scattering and sedimentation equilibrium study, 273

Cadmium, cobalt or zinc/magnesium in the functional metal sites of alkaline phosphatase, a study of structure, 245
cAMP receptor protein non-specific binding to DNA, electron microscope observation of the fibre structure formed, 435
Carbohydrates and carbohydrate-protein macromolecules, densitometric and small-angle neutron scattering studies; physical properties of the hyaluronate binding region of proteoglycan from pig laryngeal cartilage, 69
Cartilage proteoglycan, laryngeal, pig, physical properties of the hyaluronate binding region; densitometric and small-angle neutron scattering studies of carbohydrates and carbohydrate-protein macromolecules, 69
cat promoter in *Escherichia coli*, binding of RNA polymerase and the catabolite gene activator protein, 185
Catabolite gene activator protein within the *cat* promoter in *Escherichia coli*, and the binding of RNA polymerase, 185
Cell mutants, Chinese hamster, defective in the receptor-mediated endocytosis of low density lipoprotein, a procedure for their isolation, 167
Chaconas, G., Harshey, R. M., Sarvetnick, N. & Bukhari, A. I., Predominant end-products of prophage Mu DNA transposition during the lytic cycle are replicon fusions, 341
Chang, J.-J., Dubochet, J., Baudras, A., Blazy, B. & Takahashi, M., Electron microscope observation of a fibre structure formed by non-specific binding of cAMP receptor protein to DNA, 435
Chick oviduct, isolation of a nuclear ribonucleoprotein fraction containing ovalbumin mRNA sequences, 143
Chinese hamster, isolation of cell mutants defective in the receptor-mediated endocytosis of low density lipoprotein, 167
Clark, M. W. (see also Marquis, D. M.), 121
Cleavage, synthesis and sequence analysis of DNA complementary to the 26 S messenger RNA of Sindbis virus, 315
Cloned $tRNA^{Ser}_{UCA}$ genes, correspondence of yeast UAA suppressors, 375
Coat protein of alfalfa mosaic virus, crystallization as a $T = 1$ aggregate, 33
Cobalt, cadmium or magnesium/zinc in the functional metal sites of alkaline phosphatase, a study of structure, 245
Colbère-Garapin, F., Horodniceanu, F., Kourilsky, P. & Garapin, A.-C., A new dominant hybrid selective marker for higher eukaryotic cells, 1
Competitive conformational transitions in torsionally stressed DNA, theoretical analysis, 43
Conformational transitions, competitive, in torsionally stressed DNA, theoretical analysis, 43
Contrast variation and hydration of nucleosome core particles, 552
Cote, R. H. & Borisy, G. G., Head-to-tail polymerization of microtubules *in vitro*, 577
— Anderson, C. F. & Borisy, G. G., Formulation of the general rate equation for subunit flux at steady-state (*Appendix* to Cote, R. H. & Borisy, G. G., 577), 599
Crews, S. (see also Ojala, D.), 303
Crystallization of alfalfa mosaic virus coat protein as a $T = 1$ aggregate, 33
Crystals and fibers of hemoglobin S, molecular topology, 557

Deoxyhaemoglobin Zürich (HisE7(63β) → Arg) structure, 137
DNA complementary to the 26 S messenger RNA of Sindbis virus; synthesis, cleavage and sequence analysis, 315
—, eukaryotic, detection of methylated sequences with the restriction endonucleases *Sma*I and *Xma*I, 133
DNAs, eukaryotic and prokaryotic, alkali-stably bound proteins show common characteristics, 297
DNA, electron microscope observation of a fibre structure formed by non-specific binding of cAMP receptor protein, 435
— polymerases, gene *43*, diverse, influence on the incorporation and replication *in vivo* of 2-aminopurine at A·T base-pairs in bacteriophage T4, 197
— of prophage Mu, predominant end-products of transposition during the lytic cycle are replicon fusions, 341
— replication, mitochondrial, human, a small polyadenylated RNA (7 S RNA), containing a putative ribosome attachment site, maps near the origin, 303
—, torsionally stressed, theoretical analysis of competitive conformational transitions, 43
Developmentally regulated mRNA from *Dictyostelium discoideum*, partial purification by thermal elution from poly(U)-Sepharose, 389

Dictyostelium discoideum developmentally regulated mRNA, partial purification by thermal elution from poly(U)-Sepharose, 389
DODSON, G. (see also BRADBURY, J. H.), 609
Domain organizations, shapes and flexibility of laminin and fibronectin, two multifunctional proteins of the extracellular matrix, 97
Dominant hybrid selective marker, new, for higher eukaryotic cells, 1
DOVER, G. (see also BROWN, S. D. M.), 441
DUBOCHET, J. (see also CHANG, J.-J.), 435

EDELSTEIN, S. J., Molecular topology in crystals and fibers of hemoglobin S, 557
EISENBERG, H. & FELSENFELD, G., Hydrodynamic studies of the interaction between nucleosome core particles and core histones, 537
Electron microscope observation of a fibre structure formed by non-specific binding of cAMP receptor protein to DNA, 435
Elution, thermal, from poly(U)-Sepharose, and the partial purification of a developmentally regulated mRNA from *Dictyostelium discoideum*, 389
Endocytosis, receptor-mediated, of low density lipoprotein, isolation of Chinese hamster defective cell mutants, 167
ENGEL, J., ODERMATT, E., ENGEL, A., MADRI, J. A., FURTHMAYR, H., ROHDE, H. & TIMPL, R., Shapes, domain organizations and flexibility of laminin and fibronectin. Two multifunctional proteins of the extracellular matrix, 97
ENGEL, A. (see also ENGEL, J.), 97
Enzymatic reaction of bovine β-trypsin, role of Asp102; a molecular orbital study, 409
Eukaryotic cells, a new dominant hybrid selective marker, 1
— DNA, detection of methylated sequences with the restriction endonucleases *Sma*I and *Xma*I, 133
— and prokaryotic DNAs, alkali-stably bound proteins show common characteristics, 297
— RNA ribonucleoprotein organization: different nucleoprotein structures of globin mRNA sequences in nuclear and polyribosomal ribonucleoprotein particles, 509
Evolutionary progress and organization of a dispersed repetitive family of sequences in widely separated rodent genomes, 441
Extracellular matrix: shapes, domain organizations and flexibility of laminin and fibronectin, two multifunctional proteins, 97

FAHNSTOCK, S. R. (see also MARQUIS, D. M.), 121
FALL, L. (see also BENEDICT, R. C.), 423
FELSENFELD, G. (see also EISENBERG, H.), 537
Fibers and crystals of hemoglobin S, molecular topology, 557
Fibre structure formed by non-specific binding of cAMP receptor protein to DNA, electron microscope observation, 435
Fibrinogen monomers and fibrin oligomers, bovine, a study of their morphology, 399
Fibronectin and laminin, two multifunctional proteins of the extracellular matrix: shapes, domain organizations and flexibility, 97
Flexibility, shapes and domain organizations of laminin and fibronectin, two multi-functional proteins of the extracellular matrix, 97
FOSTER, B. A. (see also SOWADSKI, J. M.), 245
FRIEDMAN, L. (see also BROACH, J. R.), 375
FUKUYAMA, K., ABDEL-MEGUID, S. S. & ROSSMANN, M. G., Crystallization of alfalfa mosaic virus coat protein as a $T = 1$ aggregate, 33
FURTHMAYR, H. (see also ENGEL, J.), 97
Fusions, replicon, are the predominant end-products of prophage Mu DNA transposition during the lytic cycle, 341
—, —, promoted by the inverted repeats of Tn*5*. The right repeat is an insertion sequence, 15

GARAPIN, A.-C. (see also COLBÈRE-GARAPIN, F.), 1
GELFAND, R. (see also OJALA, D.), 303
Gene *43* DNA polymerases, diverse, influence on the incorporation and replication *in vivo* of 2-aminopurine at A·T base-pairs in bacteriophage T4, 197
—, ovalbumin, a multiple site hypothesis for its interaction with steroid hormone receptors, 160
Genes, $tRNA^{Ser}_{UCA}$, cloned, correspondence of yeast UAA suppressors, 375

Genomes, rodent, widely separated, organization and evolutionary progress of a dispersed repetitive family of sequences, 441
GESTELAND, R. F. (see also ONO, B.-I.), 361
GILL, S. J. (see also BENEDICT, R. C.), 423, 431
Globin mRNA sequences in nuclear and polyribosomal ribonucleoprotein particles, different nucleoprotein structures; ribonucleoprotein organization of eukaryotic RNA, 509
Glycoproteins, surface, lymphoid, intracellular transport; role of the Golgi complex, 525
GOLDSTEIN, J. L. (see KRIFGER, M.). 167
Golgi complex role in the intracellular transport of lymphoid surface glycoproteins, 525

^{1}H nuclear magnetic resonance study of the histidine residues of insulin, 609
HALL, D. (see also PHILLIPS, S. E. V.), 137
HAMILTON, D. (see also STERNBERG, N.), 467, 487
HARDINGHAM, T. E. (see also PERKINS, S. J.), 69
HARSHEY, R. M. (see also CHACONAS, G.), 341
Head-to-tail polymerization of microtubules *in vitro*, 577
Haemoglobin allostery, close correlation between Monod–Wyman–Changeux parameters, L and c, and implications for the stereochemical mechanism, 615
Hemoglobin S, molecular topology in crystals and fibers, 557
— — with anti-sickling agents, thermodynamics of the system, 423
HENDERSON, E. (see also MARQUIS, D. M.), 121
Histidine residues of insulin, ^{1}H nuclear magnetic resonance study, 609
Histones, core, hydrodynamic studies of their interaction with nucleosome core particles, 537
HOESS, R. (see also STERNBERG, N.), 487
HOESSLI, D. (see also TARTAKOFF, A.), 525
HORODNICEANU, F. (see also COLBÈRE-GARAPIN, F.), 1
Human mitochondrial DNA replication, a small polyadenylated RNA (7 S RNA), containing a putative ribosome attachment site, maps near the origin, 303
Hyaluronate binding region of proteoglycan from pig laryngeal cartilage, physical properties; densitometric and small-angle neutron scattering studies of carbohydrates and carbohydrate-protein macromolecules, 69
Hybrid selective marker, dominant, new, for higher eukaryotic cells, 1
Hydrodynamic studies of the interaction between nucleosome core particles and core histones, 537

Insulin, ^{1}H nuclear magnetic resonance study of the histidine residues, 609
Intracellular transport of lymphoid surface glycoproteins. Role of the Golgi complex, 525
ISBERG, R. R. & SYVANEN, M., Replicon fusions promoted by the inverted repeats of Tn*5*. The right repeat is an insertion sequence, 15

JACOBSON, A. (see also PALATNIK, C. M.), 389

KOURILSKY, P. (see also COLBÈRE-GARAPIN, F.), 1
KRIEGER, M., BROWN, M. S. & GOLDSTEIN, J. L., Isolation of Chinese hamster cell mutants defective in the receptor-mediated endocytosis of low density lipoprotein, 167
KUDO, T. (see also UMEYAMA, H.), 409

L7/L12 stalk, a conserved feature of the prokaryotic ribosome, is attached to the large subunit through its N terminus, 121
LAKE, J. A. (see also MARQUIS, D. M.), 121
Laminin and fibronectin, two multifunctional proteins of the extracellular matrix: shapes, domain organizations and flexibility, 97
LE GRICE, S. F. J. & MATZURA, H., Binding of RNA polymerase and the catabolite gene activator protein within the *cat* promoter in *Escherichia coli*, 185
LE MAIRE, M., MØLLER, J. V. & TARDIEU, A., Shape and thermodynamic parameters of a Ca^{2+}-dependent ATPase. A solution X-ray scattering and sedimentation equilibrium study, 273
Lipoprotein, low density, isolation of Chinese hamster cell mutants defective in the receptor-mediated endocytosis, 167
Low density lipoprotein, isolation of Chinese hamster cell mutants defective in the receptor-mediated endocytosis, 167

lox site recombination and strand exchange: bacteriophage P1 site-specific recombination, 603
lox P site recombination for bacteriophage P1, 467
— — — with the bacterial chromosome for bacteriophage P1, 487
Lymphoid surface glycoproteins, intracellular transport: role of the Golgi complex, 525

Madri, J. A. (see also Engel, J.), 97
Magnesium/zinc, cobalt or cadmium in the functional metal sites of alkaline phosphatase, a study of structure, 245
Makowski, L. (see also Moody, M. F.), 217
Mapping of a small polyadenylated RNA (7 S RNA), containing a putative ribosome attachment site, near the origin of human mitochondrial DNA replication, 303
Marker, selective, hybrid, dominant, new, for higher eukaryotic cells, 1
Marquis, D. M., Fahnstock, S. R., Henderson, E., Woo, D., Schwinge, S., Clark, M. W. & Lake, J. A., The L7/L12 stalk, a conserved feature of the prokaryotic ribosome, is attached to the large subunit through its N terminus, 121
Matsukawa, S., Mawatari, K., Shimokawa, Y. & Yoneyama, Y., Close correlation between Monod–Wyman–Changeux parameters, *L* and *c*, and its implication for the stereochemical mechanism of haemoglobin allostery, 615
Matzura, H. (see also Le Grice, S. F. J.), 185
Mawatari, K. (see also Matsukawa, S.), 615
Messenger RNA, developmentally regulated, from *Dictyostelium discoideum*, partial purification by thermal elution from poly(U)-Sepharose, 389
— —, 26 S, of Sindbis virus, synthesis, cleavage and sequence analysis of complementary DNA, 315
— — sequences, globin, in nuclear and polyribosomal ribonucleoprotein particles, different nucleoprotein structures; ribonucleoprotein organization of eukaryotic RNA, 509
— — —, ovalbumin, contained in nuclear ribonucleoprotein fraction isolated from chick oviduct, 143
Metal sites, structure of alkaline phosphatase with zinc/magnesium, cobalt or cadmium, 245
Methylated sequences, detection in eukaryotic DNA with the restriction endonucleases *Sma*I and *Xma*I, 133
Microtubule head-to-tail polymerization *in vitro*, 577
Miller, A. (see also Perkins, S. J.), 69
Mitochondrial DNA replication, human, a small polyadenylated RNA (7 S RNA), containing a putative ribosome attachment site, maps near the origin, 303
Molecular orbital study of the role of Asp102 in the enzymatic reaction of bovine β-trypsin, 409
Moller, J. V. (see also Le Maire, M.), 273
Monod–Wyman–Changeux parameters, *L* and *c*, close correlation between, and the implication for the stereochemical mechanism of haemoglobin allostery, 615
Montoya, J. (see also Ojala, D.), 303
Moody, M. F. & Makowski, L., X-ray diffraction study of tail-tubes from bacteriophage T2L, 217
Morphology of bovine fibrinogen monomers and fibrin oligomers, 399
Mu (see also Prophage), 341
Mulder, C. (see also Youssoufian, H.), 133
Muir, H. (see also Perkins, S. J.), 69
Multiple site hypothesis for the interaction of steroid hormone receptors with the ovalbumin gene, 160
Mulvihill, E. R. (see also Thomas, P. S.), 143
Munroe, S. H. (see also Pederson, T.), 509
Mutant cells, Chinese hamster, defective in the receptor-mediated endocytosis of low density lipoprotein, a procedure for their isolation, 167

Nagel, R. L. (see also Benedict, R. C.), 423
Nakagawa, S. (see also Umeyama, H.), 409
Neutron scattering, small-angle, and densitometric studies of carbohydrates and carbohydrate-protein macromolecules; physical properties of the hyaluronate binding region of proteoglycan from pig laryngeal cartilage, 69
Nuclear magnetic resonance, ^{1}H, study of the histidine residues of insulin, 609
— ribonucleoprotein fraction containing ovalbumin mRNA sequences, isolation from chick oviduct, 143
Nucleosome core particles, contrast variation and hydration, 552
— — —, hydrodynamic studies of their interaction with core histones, 537

Odermatt, E. (see also Engel, J.), 97

Ojala, D., Crews, S., Montoya, J., Gelfand, R. & Attardi, G., A small polyadenylated RNA (7 S RNA), containing a putative ribosome attachment site, maps near the origin of human mitochondrial DNA replication, 303
Ono, B.-I., Wills, N., Stewart, J. W., Gesteland, R. F. & Sherman, F., Serine-inserting UAA suppression mediated by yeast $tRNA^{Ser}$, 361
Organization and evolutionary progress of a dispersed repetitive family of sequences in widely separated rodent genomes, 441
Ovalbumin gene interaction with steroid hormone receptors, a multiple site hypothesis, 160
— mRNA sequences contained in nuclear ribonucleoprotein fraction isolated from chick oviduct, 143
Oviduct, chick: isolation of a nuclear ribonucleoprotein fraction containing ovalbumin mRNA sequences, 143

P1 (see also Bacteriophage), 467, 487, 603
Palatnik, C. M., Storti, R. V. & Jacobson, A., Partial purification of a developmentally regulated messenger RNA from *Dictyostelium discoideum* by thermal elution from poly(U)-Sepharose, 389
Palmiter, R. D. (see also Thomas, P. S.), 143
Pederson, T. & Munroe, S. H., Ribonucleoprotein organization of eukaryotic RNA. XV. Different nucleoprotein structures of globin mRNA sequences in nuclear and polyribosomal ribonucleoprotein particles, 509
Perkins, S. J., Miller, A., Hardingham, T. E. & Muir, H., Physical properties of the hyaluronate binding region of proteoglycan from pig laryngeal cartilage. Densitometric and small-angle neutron scattering studies of carbohydrates and carbohydrate-protein macromolecules, 69
Perutz, M. F. (see also Phillips, S. E. V.), 137
Petzelt, C. (see also Werner, D.), 297
Phillips, S. E. V., Hall, D. & Perutz, M. F., Structure of deoxyhaemoglobin Zürich (HisE7(63β) → Arg), 137
Pig laryngeal cartilage proteoglycan, physical properties of the hyaluronate binding region: densitometric and small-angle neutron scattering studies of carbohydrates and carbohydrate-protein macromolecules, 69
Polyadenylated RNA, small, (7 S RNA), containing a putative ribosome attachment site, maps near the origin of human mitochondrial DNA replication, 303
Polymerization, head-to-tail, of microtubules *in vitro*, 577
Poly(U)-Sepharose and the partial purification of a developmentally regulated mRNA from *Dictyostelium discoideum* by thermal elution, 389
Prokaryotic and eukaryotic DNAs, alkali-stably bound proteins show common characteristics, 297
— ribosome: the L7/L12 stalk, a conserved feature, is attached to the large subunit through its N terminus, 121
Prophage Mu DNA transposition during the lytic cycle, predominant end-products are replicon fusions, 341
Protein, coat, of alfalfa mosaic virus, crystallization as a $T = 1$ aggregate, 33
Proteins, alkali-stably bound, in eukaryotic and prokaryotic DNAs show common characteristics, 297
Proteoglycan from pig laryngeal cartilage, properties of the hyaluronate binding region; densitometric and small-angle neutron scattering studies of carbohydrates and carbohydrate-protein macromolecules, 69

Ramesh, V. (see also Bradbury, J. H.), 609
Recombination at *lox* sites and strand exchange: bacteriophage P1 site-specific recombination, 603
— between P1 *lox*P and the bacterial chromosome, 487.
— — P1 *lox*P sites, 467
Repeats, inverted, of Tn*5* promote replicon fusions. The right repeat is an insertion sequence, 15
Replication, DNA, mitochondrial, human, a small polyadenylated RNA (7 S RNA), containing a putative ribosome attachment site, maps near the origin, 303
— and incorporation *in vivo* of 2-aminopurine at A·T base-pairs in bacteriophage T4, influence of diverse gene *43* DNA polymerases, 197
Replicon fusions are the predominant end-products of prophage Mu DNA transposition during the lytic cycle, 341
— — promoted by the inverted repeats of Tn*5*. The right repeat is an insertion sequence, 15
Restriction endonucleases *Sma*I and *Xma*I enable the detection of methylated sequences in eukaryotic DNA, 133
RNA, eukaryotic, ribonucleoprotein organization: different nucleoprotein structures of globin mRNA sequences in nuclear and polyribosomal ribonucleoprotein particles, 509
—, polyadenylated, small, (7 S RNA), containing a putative ribosome attachment site, maps near the origin of human mitochondrial DNA replication, 303

— polymerase binding and the catabolite gene activator protein within the *cat* promoter in *Escherichia coli*, 185
Ribonucleoprotein fraction, nuclear, containing ovalbumin mRNA sequences, isolation from chick oviduct, 143
— organization of eukaryotic RNA. Different nucleoprotein structures of globin mRNA sequences in nuclear and polyribosomal ribonucleoprotein particles, 509
Ribosome attachment site, putative, is contained in a small polyadenylated RNA (7 S RNA) mapping near the origin of human mitochondrial DNA replication, 303
—, prokaryotic: the L7/L12 stalk, a conserved feature, is attached to the large subunit through its N terminus, 121
RICE, C. M. & STRAUSS, J. H., Synthesis, cleavage and sequence analysis of DNA complementary to the 26 S messenger RNA of Sindbis virus, 315
RICHEY, B. (see also BENEDICT, R. C.), 423, 431
RIPLEY, L. S., Influence of diverse gene *43* DNA polymerases on the incorporation and replication *in vivo* of 2-aminopurine at A·T base-pairs in bacteriophage T4, 197
Rodent genomes, widely separated, organization and evolutionary progress of a dispersed repetitive family of sequences, 441
ROHDE, H. (see also ENGEL, J.), 97
ROSSMANN, M. G. (see also FUKUYAMA, K.), 33

SARVETNICK, N. (see also CHACONAS, G.), 341
SCHWINGE, S. (see also MARQUIS, D. M.), 121
Sedimentation equilibrium and solution X-ray scattering study of the shape and thermodynamic parameters of a Ca^{2+}-dependent ATPase, 273
Sequence analysis, synthesis and cleavage of DNA complementary to the 26 S messenger RNA of Sindbis virus, 315
Sequences, dispersed repetitive family, in widely separated rodent genomes; organization and evolutionary progress, 441
— of globin mRNA in nuclear and polyribosomal ribonucleoprotein particles, different nucleoprotein structures; ribonucleoprotein organization of eukaryotic RNA, 509
—, methylated, detection in eukaryotic DNA with the restriction endonucleases *Sma*I and *Xma*I, 133
Serine-inserting UAA suppression mediated by yeast $tRNA^{Ser}$, 361
Shape and thermodynamic parameters of a Ca^{2+}-dependent ATPase; a solution X-ray scattering and sedimentation equilibrium study, 273
SHEPHERD, J. H. (see also THOMAS, P. S.), 143
SHERMAN, F. (see also BROACH, J. R.), 375
— (see also ONO, B.-I.), 361
SHIMOKAWA, Y. (see also MATSUKAWA, S.), 615
Sindbis virus (see also Virus), 315
*Sma*I and *Xma*I restriction endonucleases enable the detection of methylated sequences in eukaryotic DNA, 133
SOWADSKI, J. M., FOSTER, B. A. & WYCKOFF, H. W., Structure of alkaline phosphatase with zinc/magnesium, cobalt or cadmium in the functional metal sites, 245
STERNBERG, N., Bacteriophage P1 site-specific recombination. III. Strand exchange during recombination at *lox* sites, 603
— & HAMILTON, D., Bacteriophage P1 site-specific recombination. I. Recombination between *lox*P sites, 467
—, HAMILTON, D. & HOESS, R., Bacteriophage P1 site-specific recombination. II. Recombination between *lox*P and the bacterial chromosome, 487
Steroid hormone receptors, a multiple site hypothesis for their interaction with the ovalbumin gene, 160
STEWART, J. W. (see also ONO, B.-I.), 361
STORTI, R. V. (see also PALATNIK, C. M.), 389
Strand exchange during recombination at *lox* sites; bacteriophage P1 site-specific recombination, 603
STRAUSS, J. H. (see also RICE, C. M.), 315
Stressed DNA, torsional, theoretical analysis of competitive conformational transitions, 43
Structure of alkaline phosphatase with zinc/magnesium, cobalt or cadmium in the functional metal sites, 245
— — deoxyhaemoglobin Zürich (HisE7(63β) → Arg), 137
Subunit flux at steady-state, formulation of the general rate equation, 599
Synthesis, cleavage and sequence analysis of DNA complementary to the 26 S messenger RNA of Sindbis virus, 315
SYVANEN, M. (see also ISBERG, R. R.), 15

T2L (see also Bacteriophage), 217
T4 (see also Bacteriophage), 197
Tail-tubes from bacteriophage T2L, X-ray diffraction study, 217
Takahashi, M. (see also Chang, J.-J.), 435
Tardieu, A. (see also Le Maire, M.), 273
Tartakoff, A., Hoessli, D. & Vassalli, P., Intracellular transport of lymphoid surface glycoproteins. Role of the Golgi complex, 525
Teller, D. C. (see also Thomas, P. S.), 160
Thermodynamic parameters and shape of a Ca^{2+}-dependent ATPase; a solution X-ray scattering and sedimentation equilibrium study, 273
Thermodynamics of anti-sickling agents with hemoglobin S, 423
Thomas, P. S., Shepherd, J. H., Mulvihill, E. R. & Palmiter, R. D., Isolation of a nuclear ribonucleoprotein fraction from chick oviduct containing ovalbumin messenger RNA sequences, 143
— & Teller, D. C., A multiple site hypothesis for the interaction of steroid hormone receptors with the ovalbumin gene (*Appendix* to Thomas, P. S., *et al.*, 143), 160
Timpl, R. (see also Engel, J.), 97
Tn*5*-promoted replicon fusions; the right repeat is an insertion sequence, 15
Topology, molecular, in crystals and fibers of hemoglobin S, 557
Torsionally stressed DNA, theoretical analysis of competitive conformational transitions, 43
$tRNA^{Ser}$, yeast, and mediation of serine-inserting UAA suppression, 361
$tRNA^{Ser}_{UCA}$ genes, cloned, correspondence of yeast UAA suppressors, 375
Transitions, conformational, competitive, in torsionally stressed DNA, theoretical analysis, 43
Transport, intracellular, of lymphoid surface glycoproteins; role of the Golgi complex, 525
Transposition of prophage Mu DNA during the lytic cycle, predominant end-products are replicon fusions, 341
β-Trypsin, bovine, role of Asp102 in the enzymatic reaction; a molecular orbital study, 409

UAA suppression, serine-inserting, mediated by yeast $tRNA^{Ser}$, 361
— suppressors, yeast, correspondence to cloned $tRNA^{Ser}_{UCA}$ genes, 375
Umeyama, H., Nakagawa, S. & Kudo, T., Role of Asp102 in the enzymatic reaction of bovine β-trypsin; a molecular orbital study, 409

Vassalli, P. (see also Tartakoff, A.), 525
Virus, alfalfa mosaic, crystallization of coat protein as a $T = 1$ aggregate, 33
—, Sindbis, synthesis, cleavage and sequence analysis of DNA complementary to the 26 S mRNA, 315

Werner, D. & Petzelt, C., Alkali-stably bound proteins in eukaryotic and prokaryotic DNAs show common characteristics, 297
Williams, R. C., Morphology of bovine fibrinogen monomers and fibrin oligomers, 399
Wills, N. (see also Ono, B.-I.), 361
Woo, D. (see also Marquis, D. M.), 121
Wyckoff, H. W. (see also Sowadski, J. M.), 245
Wyman, J. (see also Benedict, R. C.), 423, 431

*Xma*I and *Sma*I restriction endonucleases enable the detection of methylated sequences in eukaryotic DNA, 133
X-ray diffraction study of tail-tubes from bacteriophage T2L, 217
— solution scattering and sedimentation equilibrium study of the shape and thermodynamic parameters of a Ca^{2+}-dependent ATPase, 273

Yeast $tRNA^{Ser}$-mediated serine-inserting UAA suppression, 361
— UAA suppressors, correspondence to cloned $tRNA^{Ser}_{UCA}$ genes, 375
Yoneyama, Y. (see also Matsukawa, S.), 615
Youssoufian, H. & Mulder, C., Detection of methylated sequences in eukaryotic DNA with the restriction endonucleases *Sma*I and *Xma*I, 133

Zinc/magnesium, cobalt or cadmium in the functional metal sites of alkaline phosphatase, a study of structure, 245